

WEST Search History

DATE: Monday, September 03, 2007

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L11	L8 with "wireless network"	0
<input type="checkbox"/>	L10	L8 with "value"	0
<input type="checkbox"/>	L9	L8 with "time"	0
<input type="checkbox"/>	L8	L4 with "random integer"	4
<input type="checkbox"/>	L7	L4 with random integer	512025
<input type="checkbox"/>	L6	L4 with acknowledgement	2
<input type="checkbox"/>	L5	L4 with acknowledgement	0
<input type="checkbox"/>	L4	L3 with message	282
<input type="checkbox"/>	L3	(media access control) with integer	28465
<input type="checkbox"/>	L2	(media access control) near (integer) near (message)	0
<input type="checkbox"/>	L1	(medium access control) near (integer) near (message) near (acknowledge)	0

END OF SEARCH HISTORY

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

integer, message, acknowledge, receipt, rand

[Advanced Search](#)
[Preferences](#)

New! [View and manage your web history](#)

Web Results 1 - 10 of about 575 for integer, message, acknowledge, receipt, random, time, pseudorandom

Adaptive adjustment of backoff times in wireless network ...

[0008] The upper limit CW of the **pseudo-random** value range varies from a of the successful **receipt** of frame n-1; this **acknowledgement** ends at time t3. ...

www.freepatentsonline.com/EP1424814.html - 83k - [Cached](#) - [Similar pages](#)

Adaptive adjustment of backoff times in wireless network ...

In frequency-hopping, transmissions change frequency within a finite bandwidth over **time**, following a **pseudo-random** pattern. Wireless networks in the United ...

www.freepatentsonline.com/7209467.html - 85k - [Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

[PDF] Media Access Control Layer Proposal for the 802.16.1 Air Interface ...

File Format: PDF/Adobe Acrobat

The **acknowledge Messages** will return the confirmation. code in the response unless a new A **random** or **pseudo-random** number generator may also ...

www.ieee802.org/16/tg1/mac/contrib/802161mc-00_21r1.pdf - [Similar pages](#)

[PDF] ENGINEERING COMMITTEE Digital Video Subcommittee AMERICAN NATIONAL ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

randomizer's **Pseudo-random** Number (PN) generator output sequence. ADJUST

MESSAGE is sent to a Digital Terminal to **acknowledge** the **receipt** ...

www.scte.org/documents/pdf/ANSISCTE5512002DVS178.pdf - [Similar pages](#)

[PDF] Digital Broadband Delivery System: Out Of Band Transport Part 2 ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

modulo-2 addition of the data with a **pseudo-random** sequence. The <MAC>

Reservation ID Response **Message** is used to **acknowledge** the **receipt** of ...

scte.org/documents/pdf/ANSISCTE5522002DVS167.pdf - [Similar pages](#)

Frame control for efficient media access - US Patent 6671284

Backoff **time** is defined as: $\text{BackoffTime} = \text{Random}() \cdot \text{SlotTime} (1)$ where **Random()** is a uniformly distributed **pseudorandom integer** from the interval [0, ...

www.patentstorm.us/patents/6671284-description.html - 197k - [Cached](#) - [Similar pages](#)

[PDF] Ad Hoc Network

File Format: PDF/Adobe Acrobat - [View as HTML](#)

If a transmitter senses a busy medium, it determines a **random** back-off. period by setting an internal timer to an **integer** number of slot **times**. ...

www.tm.uka.de/lehre/ws0405/prak/prak_mobikom_unterlagen/IEEE_80211_Primer.pdf -

[Similar pages](#)

[PDF] SELF-ORGANIZING TIME DIVISION MULTIPLE ACCESS VDL MODE 4 STANDARDS ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

be the previous **integer** UTC second relative to the **message** slot supporting the **message**.

..... reservations, or **acknowledge receipt** of resource requests. ...

www.icao.int/anb/panels/acp/meetings/amcp4/item-5d.pdf - [Similar pages](#)

[PDF] ETS 300 800 - Edition 01 - Digital Video Broadcasting (DVB ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the data with a **pseudo-random** sequence. The generating polynomial is Reservation

ID response **message** is used to **acknowledge** the **receipt** of the <MAC> ...
www.bjpace.com.cn/.../Specifications%20and%20Standards/interactivity/dvb-
rcc/Ets300800_e1.pdf - [Similar pages](#)

[PDF] [The GM Message Passing System](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

amount of **time**. Generally, except for the case of **message** 'forwarding' described

Returns a **pseudo-random integer**, using a poor but fast **random** number ...

www.millennium.berkeley.edu/docs/mpi/gm_manual/gm.pdf - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

integer, message, acknowledge, rec |

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)